



GUJARAT FLUORO CHEMICALS LIMITED
GLOBAL PRODUCT STRATEGY SAFETY SUMMARY
R-407C

PAGE 1 of 7

ISSUED :
28.08.2020

REVISION : 00

A. GENERAL INFORMATION

This product safety summary is intended to provide a general overview of the chemical substance in the context of ICCA global product strategy. It is not intended to provide emergency response, medical or treatment information nor to provide an overview of all safety and health information. This summary is not intended to replace the Safety Data Sheet. For detailed guidance on the use or regulatory status of this substance, please consult the Safety Data Sheet.

Company Name	M/s GUJARAT FLUORO CHEMICALS LIMITED
Address	Survey No 16/3, 26, 27, Ranjitnagar Pin-389 380, Tal. Ghoghamba, Dist. Panchmahals, Gujarat, India
Business Phone	+91 – 2678 – 248107, 248152
Business Fax	+91 – 2678 – 248153
Web Site	www.gfl.co.in

B. CHEMICAL PRODUCT IDENTIFICATION:

Product Name	R-407C
Synonyms	R-407C
IUPAC Name	R-407C
CAS NO	Difluoromethane-75-10-5 Pentafluoroethane-354-33-6 Chlorodifluoromethane-75-45-6
E C No	Difluoromethane-200-839-4 Pentafluoroethane-206-557-8 Chlorodifluoromethane-200-871-9
Molecular Formula	Not available

C. USES AND APPLICATIONS:

- ✓ Used in applications such as air conditioning equipment and chiller equipment for medium temperature ranges.

D. PHYSICAL / CHEMICAL PROPERTIES:

Properties	Value
-------------------	--------------



GUJARAT FLUORO CHEMICALS LIMITED
GLOBAL PRODUCT STRATEGY SAFETY SUMMARY

PAGE 2 of 7

ISSUED :
28.08.2020

R-407C

REVISION : 00

Physical state and appearance	Gas at ambient temperatures
Odor	Faint ethereal odor
Molecular Weight	No Available
Color:	Clear, colorless liquid and vapor
PH (1% soln /water)	No Available
Boiling Point	-43°C (-55.4°F)
Melting Point	No Available
Flash Point	No Available
Critical Temperature	No Available
Relative Density	No Available
Vapor Pressure	156.2 psia @ 70°F 356.7 psia @ 130°F
Vapor Density	3.0
Volatility	Not available.
Odor Threshold	Not available.
Water/Oil Dist. Coefficient	Not available
Ionicity (in Water)	Not available
Dispersion Properties	Not available

E. HAZARD IDENTIFICATION:

This chemical is considered hazardous by the Regulation (EC) No. 1272/2008 [CLP]

Effect	Value
Acute toxicity	Inhalation LC50 Pentafluoroethane-> 800 000 ppm Chlorodifluoromethane-250 000 ppm - 4hr
Skin corrosion/irritation	May cause frostbite.
Serious eye damage/eye irritation	May cause frostbite.
Respiratory or skin sensitization	Not Available
Germ cell mutagenicity	Not Available
Carcinogenicity	Not Available
Reproductive toxicity	Not Available



GUJARAT FLUORO CHEMICALS LIMITED
GLOBAL PRODUCT STRATEGY SAFETY SUMMARY
R-407C

PAGE 3 of 7
ISSUED :
 28.08.2020
REVISION : 00

Specific target organ toxicity –single exposure	Not Available
Specific target organ toxicity repeated exposure	Not Available
Acute inhalation toxicity	Not Available
Aspiration hazard	No data available
Additional Information	Not Available

F. ENVIRONMENTAL EFFECTS:

Effect	Value																
Toxicity	<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Chemical Name</td> <td style="width: 15%;">Toxicity to Fish LC50 96HR</td> <td style="width: 15%;">Toxicity to Daphnia and other aquatic invertebrate EC50 48HR</td> <td style="width: 15%;">Toxicity to Algae ErC50 72HR</td> </tr> <tr> <td>Difluoromethane</td> <td>1731 mg/L</td> <td>833 mg/L</td> <td>313 mg/L</td> </tr> <tr> <td>Pentafluoroethane</td> <td>100 mg/L</td> <td>100 mg/L</td> <td>114 mg/L</td> </tr> <tr> <td>Chlorodifluoromethane</td> <td>-</td> <td>433 mg/L</td> <td>-</td> </tr> </table>	Chemical Name	Toxicity to Fish LC50 96HR	Toxicity to Daphnia and other aquatic invertebrate EC50 48HR	Toxicity to Algae ErC50 72HR	Difluoromethane	1731 mg/L	833 mg/L	313 mg/L	Pentafluoroethane	100 mg/L	100 mg/L	114 mg/L	Chlorodifluoromethane	-	433 mg/L	-
	Chemical Name	Toxicity to Fish LC50 96HR	Toxicity to Daphnia and other aquatic invertebrate EC50 48HR	Toxicity to Algae ErC50 72HR													
	Difluoromethane	1731 mg/L	833 mg/L	313 mg/L													
	Pentafluoroethane	100 mg/L	100 mg/L	114 mg/L													
	Chlorodifluoromethane	-	433 mg/L	-													
Persistence and degradability	Not Available																
Bioaccumulative potential	Difluoromethane Log Pow = 0.21 Pentafluoroethane Log Pow = 0.48 Chlorodifluoromethane Log Pow = 1.13																
	Low partition coefficient (octanol-water) indicates the absence of bioaccumulation.																
Mobility in soil	No available																
Results of PBT and vPvB assessment	Not Available																
Other adverse effects	Not Available																

G. EXPOSURE:

Effect	Value
--------	-------



Precautions for safe handling	Put on appropriate personal protective equipment. Contains gas under pressure. Do not get in eyes or on skin or clothing. Avoid breathing gas. Avoid release to the environment. Refer to special instructions/safety data sheet. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Protection against fire and explosion	Not available
Conditions for safe storage, including any incompatibilities	Keep away from open flames, hot surfaces and sources of ignition. Keep in a cool, well-ventilated place. Protect full containers from sources of heat to avoid over pressurization. Keep away from direct sunlight. Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over.
Further information on storage conditions	Not available

H. RISK MANAGEMENT MEASURES:

Effect	Value
Eye/face protection	Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

I. PERSONAL PROTECTIVE EQUIPMENT AND EMERGENCY MEASURES:

- ✓ Control parameters
- ✓ Components with workplace control parameters
- ✓ Exposure controls
- ✓ Appropriate engineering controls
- ✓ Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating /lighting/equipments.


J. ACCIDENTAL RELEASE MEASURES:

- ✓ **Personal Precaution, protective equipment and emergency procedure:**
 Avoid contact with skin and eyes. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. In enclosed areas: ventilate or wear a self-contained breathing apparatus (risk of anoxia). Remove all sources of ignition. Do not smoke. Evacuate personnel to safe areas.
- ✓ **Environment Precautions:**
 Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities.
- ✓ **Methods and materials for containment and cleaning up:**
 Stop leak if easy to do so. Immediately contact emergency personal. Use spark-proof tools and explosion-proof equipment.

K. FIRE FIGHTING MEASURES:

Suitable Extinguishing Media	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistance foam.
-------------------------------------	---

L. CLASSIFICATION AND LABELLING:

Pictogram	
Hazard Statement	H280 Contains gas under pressure; may explode if heated.
Precautionary Statement	No precautionary statement assigned
Storage	P410+P403 Protect from sunlight. Store in a well-ventilated place.



GUJARAT FLUORO CHEMICALS LIMITED
GLOBAL PRODUCT STRATEGY SAFETY SUMMARY
R-407C

PAGE 6 of 7
ISSUED :
 28.08.2020
REVISION : 00

Hazard signal

Warning

M. BASIC TRANSPORT INFORMATION:

UN Number	UN 3340
1 UN Proper Shipping Name	REFRIGERANT GAS R 407C
Transport hazard class (es)	2.2
Packaging Group	-
Environmental hazards	No

N. REGULATORY INFORMATION :

International Inventories	Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture
TSCA	Complies
EINECS/ ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS KECL	Complies
Legend	
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	Domestic Substances List/ Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
AICS	Australian Inventory of Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances



GUJARAT FLUORO CHEMICALS LIMITED
GLOBAL PRODUCT STRATEGY SAFETY SUMMARY
R-407C

PAGE 7 of 7
ISSUED :
28.08.2020
REVISION : 00

O. CONCLUSIONS:

- ✓ R-407C is a non-azeotropic mixed refrigerant composed of the three ingredients R-32, R-125, and R-134a 407C is used in applications such as air conditioning equipment and chiller equipment for medium temperature ranges.
- ✓ 407C is used in applications such as air conditioning equipment and chiller equipment for medium temperature ranges.

P. CONTACT INFORMATION:

Company Name	M/s GUJARAT FLUORO CHEMICALS LIMITED
Address	Survey No 16/3, 26, 27, Ranjitnagar Pin-389 380, Tal. Ghoghamba, Dist. Panchmahals, Gujarat, India
Business Phone	+91 – 2678 – 248107, 248152
Business Fax	+91 – 2678 – 248153
Web Site	www.gfl.co.in

Q. DISCLAIMER:

- ✓ The above information and recommendations provided in GPS safety summary only concern to the specific product as described above and may not apply for the same material if used in combination with any other material or any process.
- ✓ They are in good faith as recommendations only and based on data which is available globally. GFL (Gujarat Fluorochemicals Ltd not imply any guarantee concerning the accuracy and validity and accepts no responsibility for any damage or loss that might arise in connection with then use of this material.